ELSEVIER

Volume 230, Numbers 1–2, 1 March 1995

Inorganica Chimica Acta

Contents

Articles

Barium–copper(II) oxocarbon compounds: synthesis, crystal structures and thermal behaviours of $[Ba(H_2O)_5][Cu(C_2O_4)_2(H_2O)]$ and $[Ba(C_4O_4)_{0.5}(H_2O)_2]_2[Cu(C_4O_4)_2(H_2O)_2]$ 1
A. Bouayad, J.-C. Trombe, A. Gleizes (Toulouse, France)

Application of the hydro(solvo)thermal technique to the synthesis of metal carbonyl chalcogenide clusters
Part 3. Synthesis, structural characterization, and spectroscopic studies of the clusters $[\{M(CO)_4\}_n(MS_4)]^{2-}$ (M = Mo, W; $n = 1, 2$) 9
S.-P. Huang, M.G. Kanatzidis (East Lansing, MI, USA)

Conformational characterization of square planar nickel(II) tetraaza macrocyclic complexes by proton NMR. Crystal structure of $[Ni(13aneN_4)]ZnCl_4$. 19
E.J. Billo, P.J. Connolly, D.J. Sardella (Chestnut Hill, MA, USA), J.P. Jasinski (Keene, NH, USA), R.J. Butcher (Washington, DC, USA)

Pressure effects on the rates of Hg^{2+}-assisted chloride release from some $[CrCl(diamine)(triamine)]^{2+}$ complexes. . . . 29
D.A. House (Christchurch, New Zealand), R. van Eldik (Witten, Germany)

A comparative study of the spectroscopy and oxidative spectroelectrochemistry of a series of homo- and heterobimetallic Ru(II) and Os(II) polypyridine complexes 35
M.M. Richter, G.E. Jensen, K.J. Brewer (Blacksburg, VA, USA)

Spectral and electrochemical properties of vanadyl hexadecafluorophthalocyanine. 41
M. Handa, A. Suzuki, S. Shoji, K. Kasuga, K. Sogabe (Matsue, Japan)

CO substitution and diphosphine ligand chelation in the reaction between 4,5-bis(diphenylphosphino)-4-cyclopenten-1,3-dione (bpcd) and $Re_2(CO)_8(\mu\text{-}H)(\mu\text{-}\eta^1,\eta^2\text{-}C{\equiv}CPh)$. 45
C.-G. Xia (Lanzhou, China), S.G. Bott, M.G. Richmond (Denton, TX, USA)

Equilibrium and kinetic studies of complexes of the pendant donor macrocycles *N,N′,N″,N‴*-tetrakis(2-hydroxyethyl)-1,4,7,10-tetraazacyclododecane (THEC-12) and *N,N′,N″,N‴*-tetrakis(2-hydroxyethyl)-1,4,8,12-tetraazacyclopentadecane (THEC-15) 51
M.L. Turonek, P.A. Duckworth, G.S. Laurence, S.F. Lincoln, K.P. Wainwright (Adelaide, SA, Australia)

One-dimensional polymeric chlorocadmate(II) systems of *N*-methylpiperazinium and *N,N′*-dimethylpiperazinium compounds: synthesis, structural and thermal properties 59
A. Bonamartini Corradi, M.R. Cramarossa, M. Saladini (Modena, Italy), L.P. Battaglia (Parma, Italy), J. Giusti (Florence, Italy)

Steric effects on the substitution of pentaamine–chromium(III) and –rhodium(III) complexes. Anation reaction rate constants as an indicative of the dissociative shift of the mechanism on crowding the $[M(RNH_2O]^{3+}$ (M = Rh, R = H, Me, Et, Pr; M = Cr, R = H, Me, Pr) complexes 67
G. González, M. Martinez (Barcelona, Spain)

η^2 and η^4 olefin complexation by *S,S*-$[Ru^{II}(Me_2edda)]$: a structural change to accommodate bidentate dienes 77
S. Zhang, Y. Chen, R.E. Shepherd (Pittsburgh, PA, USA)

Studies of mercurated derivatives of acetylacetone and ethyl acetoacetate by solid state nuclear magnetic resonance and vibrational spectroscopies 85
C. Bonhomme, J. Maquet, J. Livage (Paris, France), G. Mariotto (Povo, Trento, Italy)

Chemistry of vinylidene complexes
XI. Synthesis of trinuclear MnFePt complexes by means of consecutive assembling out of mono- and dimetal vinylidene precursors 97
A.B. Antonova, A.A. Johansson, N.A. Deykhina, A.G. Ginzburg, E.D. Korniyets, S.V. Kovalenko, N.I. Pavlenko, P.V. Petrovskii, A.I. Rubaylo, I.A. Sukhina (Krasnoyarsk, Russian Federation)

Elsevier Science S.A.

The local structure of solid diorganotin(IV) complexes formed with carbohydrates by X-ray absorption spectroscopy 105
L. Nagy, B. Gyurcsik, K. Burger (Szeged, Hungary), S. Yamashita, T. Yamaguchi, H. Wakita (Fukuoka, Japon), M. Nomura (Tsukuba, Japan)

Ruthenium complexes containing tertiary phosphines and imidazole or 2,2′-bipyridine ligands 111
A.A. Batista, E.A. Polato, S.L. Queiroz, O.R. Nascimento (São Carlos, SP, Brazil), B.R. James, S.J. Rettig (Vancouver, BC, Canada)

Molecular structures of Fe(II) complexes with mono- and di-protonated ethylenediamine-*N*,*N*,*N*′,*N*′-tetraacetate (Hedta and H_2edta), as determined by X-ray crystal analyses 119
T. Mizuta, J. Wang, K. Miyoshi (Higashi-Hiroshima, Japan)

Synthesis and characterization of organomolybdenum and organotungsten halides containing the η^5-pentabenzylcyclopentadienyl ligand η^5-$Bz_5C_5M(CO)_3X$ (M = Mo, W; X = Cl, Br, I). The X-ray molecular structure of η^5-$Bz_5C_5Mo(CO)_3I$ 127
L.-C. Song, L.-Y. Zhang, Q.-M. Hu (Tianjin, China), X.-Y. Huang (Fuzhou, China)

Macrocyclic thioether-esters and thioether-thioesters and their palladium, platinum and silver complexes. 133
C.R. Lucas, S. Liu (St. John's, Nfld., Canada)

X-ray crystal structure of Cu_2(medpco-2H)Cl_2, (medpco = *N*,*N*′-bis(2-*N*,*N*-dimethylaminoethyl)pyridine-2,6-dicarboxamide 1-oxide. Copper(II) complexes of a deprotonated binucleating pyridine *N*-oxide ligand 139
M. Antolovich, D.J. Phillips, A.D. Rae (Kensington, NSW, Australia)

Charge-transfer complexes of benzylviologen (1,1′-dibenzyl-4,4′-bipyridinium(2+) cation) with cyanocuprate(I) and the structure of $(BzV)_3Cu_9(CN)_{15}\cdot H_2O$. 145
M.B. Inoue (Hermosillo, Sonora, Mexico and Tucson, AZ, USA), M. Inoue, L. Machi, F. Brown (Hermosillo, Sonora, Mexico), Q. Fernando (Tucson, AZ, USA)

Notes

Nickel(II) and copper(II) complexes of mixed benzene–triazolehemiporphyrazines 153
S. Rodríguez-Morgade, T. Torres (Madrid, Spain)

Crystal structure of Zn(trz)Cl (trz = 1,2,4-triazolato); a layered compound with triply bridging triazolato groups 159
J. Kröber (Orsay, France), I. Bkouche-Waksman, C. Pascard (Gif-sur-Yvette, France), M. Thomann, O. Kahn (Orsay, France)

The best-fit size and geometry of metal ions for coordination with nitrogen-donor macrocycles 165
T.E. Chantson, R.D. Hancock (Johannesburg, WITS, South Africa)

Crystal and molecular structure of polymeric $[MnCl_2(bpy)]_n$ 169
M. Lubben, A. Meetsma, B.L. Feringa (Groningen, Netherlands)

Ionic iridium–gold and rhodium–gold perfluorobenzenethiolato binuclear complexes: syntheses and solution behavior 173
J.J. Garcia, M.L. Hernández, H. Torrens, A. Gutierrez, F. del Río (Mexico, DF, Mexico)

Mixed anion lanthanide(III) crown ether complexes: crystal structures of $[LaCl_2(NO_3)(12\text{-crown-}4)]_2$, $[La(NO_3)(OH_2)_4(12\text{-crown-}4)]Cl_2\cdot CH_3CN$ and $[LaCl_2(NO_3)(18\text{-crown-}6)]$. 177
R.D. Rogers, A.N. Rollins (DeKalb, IL, USA)

^{13}C NMR relaxation studies of 1:2 LiCl–ethylaluminum dichloride solutions 185
C.E. Keller (Wichita, KS, USA), B.J. Piersma (Houghton, NY, USA), G.J. Mains (Stillwater, OK, USA), W. R. Carper (Wichita, KS, USA)

Mixed-ligand complexes of technetium
XIII. A new and facile synthesis, structure and electrochemical behaviour of *trans*-$[Tc(dppe)_2(bu^tNC)_2]$ $(PF_6)\cdot$ethanol (dppe = bis(diphenylphosphino)ethane, bu^tNC = *tert*-butylisocyanide) 189
L. Kaden (Leipzig, Germany), A.J.L. Pombeiro, Y. Wang (Lisbon, Portugal), U. Abram (Tübingen, Germany)

Reactivity of cationic carbonyl/phosphine ruthenium(II) compounds. 193
E. W. Evans, M.B.H. Howlader (Pontypridd, UK), M.T. Atlay (Milton Keynes, UK)

A dicopper complex of *N*,*N*′-bis[2,2-dimethyl-4-(2-hydroxyphenyl)-3-aza-3-buten] oxamide. Structure and magnetic behaviour of the mono hydrated form. 199
J.-P. Costes, F. Dahan, J.-P. Laurent (Toulouse, France)

The synthesis and characterization of a cationic technetium(V) phenylimido complex. The X-ray crystal structure of $[TcCl_2(NPh)(PMe_2Ph)_3](BPh_4)$ 205
T. Nicholson (Cambridge, MA, USA and Boston, MA, USA), A. Davison (Cambridge, MA, USA), J.A. Zubieta, Q. Chen (Syracuse, NY, USA), A.G. Jones (Boston, MA, USA)

Synthesis and characterisation of copper(II), zinc(II) and cobalt(II) complexes of salicylglycine, a metabolite of aspirin 209
K.B. Nolan, A.A. Soudi (Dublin, Ireland)

Reactions of agostic manganese complexes with molecular hydrogen 211
S.K. Noh (Kyongbuk, South Korea)

Approach to a metallacycling polymerization – reactions of[$(\eta^5\text{-}C_5H_5)Co(PPh_3)_2$] with α,β-diynes and $Me_3SiC{\equiv}CSiMe_3$ 215
T. Shimura, A. Ohkubo, K. Aramaki, H. Uekusa, T. Fujita, S. Ohba, H. Nishihara (Yokohama, Japan)

Synthesis of polymer- and silica-supported manganese phosphine complexes and their reaction with oxygen. 219
G.Q. Li, R. Govind (Cincinnati, OH, USA)

The crystal and molecular structure of tris(*trans*-dichloro(μ-(1,2-bis(3,5-dimethylpyrazol-1-yl)ethane-*N*,*N*'))palladium(II)): a 'molecular tricorn' 225
A.T. Baker, J.K. Crass, M. Maniska (Broadway, NSW, Australia), D.C. Craig (Kensington, NSW, Australia)

Convenient preparation of [$CuX(PCy_3)_2$] (X = Br, I, SCN, N_3) complexes. X-ray crystal structure of [$Cu(N_3)(PCy_3)_2$] (Cy = *cyclo*-C_6H_{11}) 231
J. Green, E. Sinn, S. Woodward (Kingston-upon-Hull, UK)

Spectroscopic and electrical properties of the $[W(C_3Se_5)_3]^{2-}$ anion complex ($C_3Se_5^{2-}$ = 1,3-diselenole-2-selone-4,5-diselenolate) and the oxidized species. 235
K. Douki, G. Matsubayashi (Osaka, Japan)

Peroxo aminopolycarboxylato vanadate(V) of an unusually low toxicity: synthesis and structure of the very stable $K_2[VO(O_2)(C_6H_6NO_6)]\cdot 2H_2O$ 241
C. Djordjevic, P. L Wilkins (Williamsburg, VA, USA), E. Sinn, R.J. Butcher (Charlottesville, VA, USA)

Organometallic chemistry of diphosphazanes. Rhodium(I) complexes of $RN(PX_2)_2$ (R = C_6H_5; X = OC_6H_5, OC_6H_4Br-*p*, R = CH_3; X = OC_6H_5) 245
M.S. Balakrishna, S.S. Krishnamurthy (Bangalore, India)

Formation of a metallocycle by dimerization of acrylonitrile. Crystal structure of the hexakis{(1,4-dicyanobutane-1,4-diyl)-nickel(II)} complex 249
M. Maekawa, M. Munakata, T. Kuroda-Sowa, K. Hachiya (Osaka, Japan)

Book Review 253
Conference Calendar 255
Author Index of Volume 230 259

The publisher encourages the submission of articles in electronic form thus saving time and avoiding rekeying errors. A leaflet describing our requirements is available from the publisher upon request.